
TECHNICAL DETAILS



Measurements

Α	Platform Height	9 ft 6 in	Unit Weight	1170 lbs.
В	Working Height	16 ft	Rated Number of Occupants	2
С	Platform Length W/ decks ext.	67.3 in	Drive Speed Stowed	1.9 mph
D	Width	28.8 in	Drive Speed Elevated	0.35 mph
Е	Base Length	47 in	Raise/Lower Speed	16/21 sec
F	Height Stowed	68.7 in	Inside Turning Radius	Null
G	Platform Length	44 in	Outside Turning Radius	49.3 in
Н	Platform Width	26.4 in	Controls	One hand proportional controller
I	Entry Step	15.6 in	Gradeability	35%
	Ground Clearance – front	3.6 in	Hydraulic System Capacity	5.3 gal
	Ground Clearance - middle	3.4 in	Power Source	110/220 V ca 24Vcc
	Platform Capacity w/ decks ext.	397 lbs.	Batteries	n° 2 - 12V; 85Ah@20h





760 rue Bériault, Longueuil, Québec (Canada) J4G 1R8 1-833-360-3330 | info@sosequipment.ca

SOLO GYPS

Installing drywall is usually a two-man job. Solo Gyps allows one person to work independently, greatly simplifying the positioning of panels and saving manpower.

Solo Gyps eliminates manual drywall lift. It has a lightweight, electric powered track and detachable adjustable frame to hold and lift sheets. The setup of the device is tool-free and fast, and once the job is complete, you can easily remove it for storage.







AVi

Leona




SKYDECK PANEL HOLDER

The result of our R&D collaboration with Peri, it greatly simplifies the positioning of slab formwork panels.

The Skydeck Panel Holder allows the operator to work more efficiently when performing forming operations with a systematic assembly sequence. It eliminates most manual exertion and makes work safer, faster and more productive.

A lightweight and detachable accessory with a total weight of only 9.25 lbs., it can hold a load weight of 35 lbs.



SOSEQUIPMENT 760 rue Bériault, Longueuil, Québec (Canada) J4G 1R8 1-833-860-3330 | into@sosequipment.ca